

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT IDENTIFIER

PRODUCT NAME	Copper Grease
SYNONYMS	None
PROPER SHIPPING NAME	Lubricating Grease
OTHER MEANS OF IDENTIFICATION	None

DETAILS OF MANUFACTURE

MANUFACTURE NAME	Lubrimaxx Marketing Pty Ltd
ADDRESS	30 Spencer Street, Sunshine West, Victoria 3020, Australia.
TEL & FAX. NO	1300 72 1300
OTHER MEANS OF IDENTIFICATION	None

DETAILS OF SUPPLIER

COMPANY NAME	Kincrome Australia Pty. Ltd (ABN: 41 007 185 006)
COMPANY ADDRESS	Australia 3 Lakeview Drive Caribbean Business Park Scoresby Victoria 3179 AUSTRALIA New Zealand Level 29, 188 Quay Street, Auckland Central 1010 NZ

EMERGENCY CONTACT NO.


CONTACT NO.	Australia: 1300 657 528 New Zealand: 0011 64 2 7342 5754 Poisons information Centre: Australia: 131 126 New Zealand: 0800 764 766
-------------	--

SECTION 2 - HAZARDS IDENTIFICATION:

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

DETAILS OF SUPPLIER

GHS CLASSIFICATION HAZARD CLASS AND CATEGORY	Hazardous to the aquatic environment, acute hazard - Category 2 Hazardous to the aquatic environment, long-term hazard - Category 2
GHS ELEMENT, INCLUDING PRECAUTIONARY STATEMENTS SYMBOL	 GHS09—Environment
SIGNAL WORD	WARNING
NZ HSNO	Not applicable

SECTION 2 - HAZARDS IDENTIFICATION (CONT.)_

HAZARD STATEMENT(S)

H401	Toxic to aquatic life
H304	May be fatal if swallowed and enters airways

PRECAUTIONARY STATEMENT(S) PREVENTION

P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.

PRECAUTIONARY STATEMENT(S) RESPONSE

P391	Collect spillage.
-------------	-------------------

PRECAUTIONARY STATEMENT(S) STORAGE

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
------------------	--

PRECAUTIONARY STATEMENT(S) DISPOSAL

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
-------------	--

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

MIXTURES

CAS NO.	%[WEIGHT]	NAME
64742-54-7	60-70	Distillate (petroleum) hydrotreated heavy paraffinic
7740-50-8	5-10	Copper nanopowder
N/A	10-20	Bentone Clay thickener
N/A	0-25	Additives determined not to be hazardous

SECTION 4 - FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

EYE CONTACT	<p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> • Immediately hold eyelids apart and flush the eye continuously with running water. • Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. • Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. • Transport to hospital or doctor without delay. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
SKIN CONTACT	<p>If skin contact occurs:</p> <ul style="list-style-type: none"> • Immediately remove all contaminated clothing, including footwear. • Flush skin and hair with running water (and soap if available). • Seek medical attention in event of irritation.
INHALATION	<p>If fumes or combustion products are inhaled:</p> <ul style="list-style-type: none"> • Lay patient down. Keep warm and rested. • Prosthesis such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. • Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. • Perform CPR if necessary. • Transport to hospital, or doctor, without delay.

INGESTION

- Contact physician immediately if swallowed.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.
- Avoid giving milk or oils.
- Avoid giving alcohol.
- If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomitus.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Any material aspirated during vomiting may produce lung injury. Therefore emesis should not be induced mechanically or pharmacologically. Mechanical means should be used if it is considered necessary to evacuate the stomach contents; these include gastric lavage after endotracheal intubation. If spontaneous vomiting has occurred after ingestion, the patient should be monitored for difficult breathing, as adverse effects of aspiration into the lungs may be delayed up to 48 hours.

Treat symptomatically. To treat poisoning by the higher aliphatic alcohols (up to C7):

- Gastric lavage with copious amounts of water.
- It may be beneficial to instill 60 ml of mineral oil into the stomach.
- Oxygen and artificial respiration as needed.
- Electrolyte balance: it may be useful to start 500 ml. M/6 sodium bicarbonate intravenously but maintain a cautious and conservative attitude toward electrolyte replacement unless shock or severe acidosis threatens.
- To protect the liver, maintain carbohydrate intake by intravenous infusions of glucose.
- Haemodialysis if coma is deep and persistent. [GOSSELIN, SMITH HODGE: Clinical Toxicology of Commercial Products, Ed 5]

BASIC TREATMENT

Establish a patent airway with suction where necessary.

Watch for signs of respiratory insufficiency and assist ventilation as necessary.

Administer oxygen by non-rebreather mask at 10 to 15 l/min.

Monitor and treat, where necessary, for shock. Monitor and treat, where necessary, for pulmonary oedema.

Anticipate and treat, where necessary, for seizures.

DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex and does not drool.

Give activated charcoal.

ADVANCED TREATMENT

Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred.

Positive-pressure ventilation using a bag-valve mask might be of use.

Monitor and treat, where necessary, for arrhythmias.

Start an IV D5W TKO. If signs of hypovolaemia are present use lactated Ringers solution. Fluid overload might create complications.

If the patient is hypoglycaemic (decreased or loss of consciousness, tachycardia, pallor, dilated pupils, diaphoresis and/or dextrose strip or glucometer readings below 50 mg), give 50% dextrose.

Hypotension with signs of hypovolaemia requires the cautious administration of fluids. Fluid overload might create complications.

Drug therapy should be considered for pulmonary oedema.

Treat seizures with diazepam.

Proparacaine hydrochloride should be used to assist eye irrigation.

EMERGENCY DEPARTMENT

Laboratory analysis of complete blood count, serum electrolytes, BUN, creatinine, glucose, urinalysis, baseline for serum aminotransferases (ALT and AST), calcium, phosphorus and magnesium, may assist in establishing a treatment regime. Other useful analyses include anion and osmolar gaps, arterial blood gases (ABGs), chest radiographs and electrocardiograph. Positive end-expiratory pressure (PEEP)-assisted ventilation may be required for acute parenchymal injury or adult respiratory distress syndrome.

Acidosis may respond to hyperventilation and bicarbonate therapy.

Haemodialysis might be considered in patients with severe intoxication.

Consult a toxicologist as necessary. BRONSTEIN, A.C. and CURRANCE, P.L. EMERGENCY CARE FOR HAZARDOUS MATERIALS EXPOSURE: 2nd Ed. 1994 For C8 alcohols and above. Symptomatic and supportive therapy is advised in managing patients.

SECTION 5 - FIRE FIGHTING MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

SUITABLE EXTINGUISHING MEDIA	Use water spray, dry chemical, foam, or carbon dioxide. Water or foam may cause frothing.
HAZARDS FROM COMBUSTION PRODUCTS	Depending on combustion conditions, a complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, will be evolved when this material undergoes combustion.
SPECIAL PROTECTIVE EQUIPMENT	Fire-fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in case of fire.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

NON-EMERGENCY PERSONNEL	Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Remove of ignition sources and provision of sufficient ventilation.
EMERGENCY PROCEDURES	Personnel involved in clean up required to wear appropriate personal protective equipment and clothing to minimize exposure.
ENVIRONMENTAL PRECAUTION	Isolate the spillage and prevent the material to enter drains, sewers, waterways and soil. Dispose of waste according to federal, Environmental Protection Authority and state regulations. If the spillage enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.
METHOD AND MATERIALS FOR CONTAINMENT AND CLEANING UP	Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	Avoid contact with the product by using appropriate protective equipment such as gloves, glasses or goggles and full-length clothing. Prevent small spills and leakage to avoid slip hazards. Properly dispose of any contaminated rags or cleaning materials in order to prevent fire hazards. Eating, drinking, and smoking should be prohibited in the area where this material is handled, stored and processed. Workers should follow good personal hygiene practices, such as washing hands before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Keep containers tightly closed when not in use. Prevent product from entering waterways, drains or sewers.
CONDITIONS FOR SAFE STORAGE	Store in a cool, dry well-ventilated place and out of direct sunlight. Store away from food stuff. Store away from sources of heat and/or ignition. Keep the containers closed when not in use.

SECTION 8 - HANDLING AND STORAGE

ENGINEERING CONTROLS	Use only in well ventilated areas.
EYE PROTECTION	Avoid contact with the eyes. Wear safety glasses or face shield to avoid eye contact or splashing.
HAND PROTECTION	Avoid contact with skin. Impervious gloves recommended. Wear suitable protective clothing.
BODY PROTECTION	Not normally required. Where splashing is possible suitable work wear should be worn to protect personal clothing.
RESPIRATORY PROTECTION	Do not breathe dust, fumes or vapor. Use approved respirator when exposed to concentration above the exposure limit.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES APPEARANCE

APPEARANCE	Smooth copper coloured grease
ODOUR	Mild
ODOUR THRESHOLD	No data available
SPECIFIC GRAVITY	0.90 typical
VISCOSITY	No data available
BOILING POINT	No data available
MELTING POINT	Greater than 180°C
DROPPING POINT	No data available
FLASH POINT	Greater than 240°C
PH VALUE	8.0 - 9.5
EVAPORATION RATE	No data available
PENETRATION AT 250C	No data available
FLAMMABILITY	Combustible
AUTO IGNITION TEMPERATURE	No data available
FLAMMABLE LIMITS	No data available
VAPOUR PRESSURE	No data available
VAPOUR DENSITY	No data available
DECOMPOSITION TEMPERATURE	No data available
SOLUBILITY IN WATER	Not soluble
PARTITION COEFFICIENT	No data available
BIODEGRADABILITY	Not classified as biodegradable

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Stable under normal conditions of storage and handling.
CHEMICAL STABILITY	Stable under normal conditions of storage and handling.
POSSIBILITY OF HAZARDOUS REACTIONS	None under normal processing
CONDITIONS TO AVOID	Keep away from heat, strong oxidizers, open flames or other sources of ignition.
INCOMPATIBLE MATERIALS	Avoid contact with oxidizing agent.
HAZARDOUS DECOMPOSITION PRODUCTS	Hazardous decomposition products are not expected to form during normal storage requirements.

SECTION 11 TOXICOLOGICAL INFORMATION

INFORMATION ON THE LIKELY ROUTES OF EXPOSURES	
SKIN EXPOSURE	May cause slight skin irritation.
EYE EXPOSURE	May cause slight eye irritation.
DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE	
ACUTE TOXICITY	Not classified as acutely toxic.
SKIN CORROSION/IRRITATION	Not classified as a skin irritation.
SERIOUS EYE DAMAGE/ EYE IRRITATION	Not classified as an eye irritation.
RESPIRATORY/SKIN SENSITIZATION	Not classified as respiratory sensitiser and skin sensitization.
CARCINOGENICITY	Not classified as a carcinogen.
GERM CELL MUTAGENICITY	The majority of studies showed no evidence of mutagenic activity.
REPRODUCTIVE TOXICITY	No evidence of developmental or reproductive toxicity.
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	Acute studies do not indicate any specific organ toxicity following single exposure.
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	This material has been classified as not a specific hazard to target organs by repeat exposure.

Note: Information given is based on data on the toxicology of base oil. Toxicological information on product is not available.

SECTION 12: ECOLOGICAL INFORMATION

DISPOSAL METHOD	
ACUTE AQUATIC HAZARD	This material has been classified as a Category 2.
LONG-TERM AQUATIC HAZARD	This material has been classified as a Category 2.
TOXICITY	No data available.
PERSISTENCE AND DEGRADABILITY	Petroleum base oils are inherently biodegradable.
BIOACCUMULATION POTENTIAL	May cause long-term adverse effects in the aquatic environment.
MOBILITY IN SOIL	No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHOD

PRODUCT

The product should not be released to the environment, so any unused material should be recycled wherever possible or be disposed of as hazardous waste at an appropriate collection depot. If this is not possible, the product is suitable for burning in an enclosed burner where it can be used as a fuel source. The product is also suitable for incineration at very high temperatures to prevent formation of undesirable combustion products. Spilled product that cannot be recovered should be absorbed and then shovelled into a suitable drum. Follow Government regulations for disposal of such waste. Do not mix new or used lubricating oils taken for recycling or disposal by suitably licensed contractors in accordance with Government regulations.

CONTAINERS

Empty containers may contain residual oil. They should be completely drained and then stored until reconditioned or disposed of. Empty drums should be taken for recycling or disposal through suitably licensed contractors in accordance with Government regulations. Where the containers are of metal construction they should not be pressurised, cut by a grinder, welded, brazed, soldered, drilled or exposed to heat, flames or other sources of ignition. Closed metal containers when exposed to such conditions/treatment may explode causing serious injury or death.

UNCLEANED PACKAGING RECOMMENDATION

Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION

NOT CLASSIFIED AS DANGEROUS GOODS BY ROAD, RAIL AND SEA.

DISPOSAL METHOD

IATA

Not Regulated

IMDG

Not Regulated

U.N NUMBER

Not Available

U.N PROPER SHIPPING NAME

Not Available

CLASS

Not Available

SUBSIDIARY RISK

Not Available

PACKING GROUP

Not Available

MARINE POLLUTANT

No

HAZCHEM CODE

Not Available

SECTION 15: REGULATORY INFORMATION

POISONS SCHEDULE: Not scheduled

ADG CODE: Nil

SECTION 16: OTHER INFORMATION

CHEMICAL EMERGENCIES: 1 800 033 111

N/D = Not determined, N/A = Not applicable

LITERATURE REFERENCES:

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (December 2011 Safe Work Australia)

GHS Hazardous Chemical Information List (September 2014 Safe Work Australia)

Guidance on the Classification of Hazardous Chemicals under the WHS Regulations. April 2012. Safe Work Australia.

Global Harmonized System of Classification and Labelling of Chemicals (GHS). Fifth revised edition.

Australian Exposure Standards

Australian Code For The Transport Of Dangerous Goods By Road And Rail 7th Edition.

Standard for the Uniform Scheduling of Medicines and Poisons 2015.

HSIS Hazardous Substance Information System National Worksafe Data Base.
LABELLING OF WORKPLACE HAZARDOUS CHEMICALS, Code of Practice, DEC 2011
IMPLEMENTATION OF THE GLOBALLY HARMONISED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS)
APRIL 2012

ABBREVIATIONS AND ACRONYMS

ADG CODE: Australian Code for the Transport of Dangerous Goods by Road and Rail.

AICS: Australian Inventory of Chemical Substances.

CAS Number: Chemical Abstracts Service Registry Number.

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HAZCHEM: An emergency action code of numbers and letters which gives information to emergency services.

HSIS: Hazardous Substances Information System

IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods

NTP: National Toxicology Program (USA).

SDS: Safety Data Sheet

SWA: SafeWork Australia

TWA: Time Weighted Average.

UN NUMBER: United Nations Number.

DISCLAIMER: It is believed that the information given in this bulletin is accurate at the issue date. It is offered in good faith, but without guarantee and without acceptance of responsibility for its accuracy.

Kincrome a policy of ongoing research and development aimed at product improvement and therefore may change the formulation, specification and characteristics of its products without notice.

It is the user's responsibility to verify the current formulation, specification or characteristics of a product, and to ascertain that it is suitable for an intended use or application.

REASON(S) FOR ISSUE: Revised

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

PLEASE NOTE that although every care has been taken in compiling the above information, it is solely reliant upon data available to us at the date hereof.

We believe the data to be correct, however for the reason just stated we are not in a position to warrant its accuracy. With that in mind and given that the full range of possibilities and conditions under which the information may be applied simply cannot be anticipated, **YOU ARE CAUTIONED** to make your own determinations as to the veracity and the suitability of the information to the particular circumstances that apply, or may apply, to you from time to time.

Consistent with that approach it is recommended that where you have a particular purpose which would necessitate a reliance on information of the nature herein you obtain your own independent expert advice particularly structured to the relevant purpose. If this material is printed, circulated, distributed or copied in any manner, it is not to be modified without prior written permission, and further, it is to include the wording of the above disclaimer.

This MSDS has been prepared by Kincrome Australia Pty. Ltd. on behalf of its client.